

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: Athen Marine Coolant 50  
Container size: -

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Long Life Coolants

### 1.3. Details of the supplier of the safety data sheet

Supplier: Athen Marine Lubricants LLC  
PO BOX: 111541  
Dubai, UAE.  
Tel: +971 42587297  
www.athenmarine.com

Emergency telephone: Tel: +971504834180

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Acute Toxicity, Oral (Category 4) H302: Harmful if swallowed

Specific Target Organ Toxicity – Repeated Exposure (Category 2) H373: May cause damage to organs through prolonged or repeated exposure

### 2.2. Label elements

**H302** - Harmful if swallowed

**H373** - May cause damage to kidneys through prolonged exposure

**P264** - Wash hands thoroughly after handling

**P270** - Do not eat, drink or smoke when using this product

**P301+P312** - IF SWALLOWED: Call a POISON CENTER if you feel unwell

### 2.3. Other hazards

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. The harmful effects may increase in used oil.

### **Hazard statement(s)**

Not Applicable.

### **Precautionary statement(s) Prevention**

Not Applicable

### **Precautionary statement(s) Response**

Not Applicable

### **Precautionary statement(s) Storage:** Not Applicable

Not Applicable

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land"

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Annex I Nota L applies to the base oil(s) in this product. Nota L - The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Ingredient Name	% (w/w)	CAS Number
Ethylene Glycol	80-92	107-21-1
Deionized Water	Balance	7732-18-5
Organic Acid Inhibitors	<5%	Proprietary
Corrosion Inhibitor/Dye (non-hazardous)	<1	Proprietary

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

**Inhalation:** Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

**Skin contact:** Remove contaminated clothing. Rinse skin immediately. Thoroughly rub with liquid soap and wash with lukewarm water. Get medical attention if any discomfort continues.

**Eye contact:** Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

**Ingestion:** DO NOT induce vomiting. Get medical attention immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects  
: See section 11 for more detailed information on health effects and symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Medical attention/treatments:** If there is any suspicion of aspiration into the lungs either directly or as a result of vomiting, obtain medical advice.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Extinguishing media:

Extinguish with foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards:** When heated and in case of fire, harmful vapours/gases may be formed. Fire in closed areas should only be extinguished by trained personnel.

### 5.3. Advice for firefighters

**Protective equipment for fire-fighters:** Wear suitable respiratory protective equipment.

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark the spillage. Avoid inhalation of oil mist and contact with skin and eyes. Keep public away from danger area. In case of spills, beware of slippery floors and surfaces.

Protective equipment: Wear necessary protective equipment.

### 6.2. Environmental precautions

Environmental precautions: Avoid discharge into drains. Contact local authorities in case of spillage to drain/aquatic environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Dam and absorb spillages with sand, earth or other non-combustible material.

### 6.4. Reference to other sections

Reference: For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid inhalation of oil mist and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Wash hands before breaks and before smoking, eating or drinking.

Technical measures: Use work methods which minimize oil mist production. Do not smoke or use open fire or other sources of ignition.

Technical precautions: When working with heated oil, mechanical ventilation may be required.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Store in tightly closed original container in a well-ventilated place.

Storage conditions: Keep at a temperature not exceeding: 45°C.

### 7.3. Specific end use(s)

Specific use(s): Lubricant.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits:

<u>CAS- No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References</u> <u>:</u>
-	Oil mist, - mineral	-	5 mg/m <sup>3</sup>	PEL (Long - Term)	-	
		-	10 mg/m <sup>3</sup>	PEL (Short - Term)	-	

### 8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapours and oil mist.

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

---

Respiratory equipment: No specific recommendations.

Hand protection: Gloves (synthetic rubber, neoprene)

Eye protection: Wear approved, tight fitting safety glasses where splashing is probable.

Skin protection: Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures: Wash hands after handling. Observe good chemical hygiene practices. Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance: Clear

Colour: Green/Red.

Odour: Mild Sweet

Odour threshold: Not available.

pH: 8 – 8.6

Melting point / freezing point: -36°C

Boiling point: NA

Flash point: NA

Evaporation rate: Not available.

Flammability (solid, gas): Not applicable.

Explosion limits: Not available.

Vapour pressure: <0.1 mmHg @ 20°C

Vapour density: Not available.

Relative density: 1.07 (20°C)

Solubility: soluble in water.

Partition coefficient (n-octanol/water): Not available.

Auto-ignition temperature (°C): Not available.

Decomposition temperature (°C): Not available.

Viscosity: NA

Explosive properties: Not available.  
Not available.

Oxidising properties:

### 9.2. Other information

Other data: Pour point (°C): NA

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity: Not reactive.

### 10.2. Chemical stability

Stability: Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: None known.

### 10.4. Conditions to avoid

Conditions/materials to avoid: Heat, sparks, flames.

### 10.5. Incompatible materials

Incompatible materials: Strong oxidizing substances.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: None under normal conditions. Hazardous polymerisation will not occur.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of oil mist or vapours formed during heating of the product may irritate the respiratory system and provoke throat irritation and coughing.

Skin contact: Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis.

Eye contact: May cause temporary eye irritation.

Ingestion: Low order of acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonitis.

Specific effects: Used oil may contain harmful contaminants.

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity: Not harmful to aquatic organisms. Expected LC/EC50 value > 100 mg/l

### 12.2. Persistence and degradability

Degradability: Potentially degradable, but will persist in the environment for long periods.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

### 12.4. Mobility in soil

Mobility: Spillages may penetrate the soil causing ground water contamination

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not known.

### 12.6. Other adverse effects

Not known.

Other adverse effects:

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste is classified as hazardous waste. Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging: Disposal through approved facilities is recommended.

## SECTION 14: TRANSPORT INFORMATION

The product is not regulated as dangerous goods under the IMDG Code, IATA-DGR, and ADR/RID.

	DOT	TDG	IATA	IMDG/IMO
UN Number	Not regulated	Not regulated	Not regulated	Not regulated
Un Proper Shipping Name	Not regulated	Not regulated	Not regulated	Not regulated
Transport hazards Class	Not regulated	Not regulated	Not regulated	Not regulated
Packing Group	Not regulated	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No	No
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated	Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Transport in bulk: Not regulated.

# MATERIAL SAFETY DATA SHEET



Product name: Athen Marine Coolant 50  
Supersedes date: May 2025  
Product No.: SGC00L50

Page: 7  
Revision: May 2026  
SDS-ID: A/COOL/50/2025

---

## SECTION 15: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

---

*The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature.*